



## ACRYLIC FOAM DOUBLE SIDE TAPE

Product no.	Thickness	Color	Type	Adhesive	Peel Adhesion	Shear adhesion	Temperature resistance
7025WE	0.25mm	White	Adhesive	MSE	800gf/10mm	9.5kg/cm <sup>2</sup>	120°C
704WE	0.4mm	White	Adhesive	MSE	1200gf/10mm	9.5kg/cm <sup>2</sup>	120°C
706W	0.6mm	White	Adhesive	MSE	1400gf/10mm	8.5kg/cm <sup>2</sup>	120°C
708W	0.8mm	White	Adhesive	MSE	1600gf/10mm	8.0kg/cm <sup>2</sup>	120°C
711W	1.1mm	White	Adhesive	MSE	1800gf/10mm	7.0kg/cm <sup>2</sup>	120°C
716W	1.6mm	White	Adhesive	MSE	1900gf/10mm	6.5kg/cm <sup>2</sup>	120°C
720W	2.0mm	White	Adhesive	MSE	2000gf/10mm	6.0kg/cm <sup>2</sup>	120°C
730W	3.0mm	White	Adhesive	MSE	2400gf/10mm	5.0kg/cm <sup>2</sup>	120°C
706WL	0.6mm	White	Adhesive	LSE	1400gf/10mm	8.5kg/cm <sup>2</sup>	90°C
711WL	1.1mm	White	Adhesive	LSE	1800gf/10mm	7.0kg/cm <sup>2</sup>	90°C
7025GE	0.25mm	Gray	Adhesive	MSE	800gf/10mm	9.5kg/cm <sup>2</sup>	120°C
704GE	0.4mm	Gray	Adhesive	MSE	1200gf/10mm	9.5kg/cm <sup>2</sup>	120°C
706G	0.6mm	Gray	Adhesive	MSE	1400gf/10mm	8.5kg/cm <sup>2</sup>	120°C
708G	0.8mm	Gray	Adhesive	MSE	1600gf/10mm	8.0kg/cm <sup>2</sup>	120°C
708GE	0.8mm	Gray	Adhesive	MSE	1700gf/10mm	8.0kg/cm <sup>2</sup>	120°C
711G	1.1mm	Gray	Adhesive	MSE	1800gf/10mm	7.0kg/cm <sup>2</sup>	120°C
716G	1.6mm	Gray	Adhesive	MSE	1900gf/10mm	6.5kg/cm <sup>2</sup>	120°C
720G	2.0mm	Gray	Adhesive	MSE	2000gf/10mm	6.0kg/cm <sup>2</sup>	120°C
723G	2.3mm	Gray	Adhesive	MSE	2100gf/10mm	6.0kg/cm <sup>2</sup>	120°C
706GL	0.6mm	Gray	Adhesive	LSE	1400gf/10mm	8.5kg/cm <sup>2</sup>	90°C
711GL	1.1mm	Gray	Adhesive	LSE	1800gf/10mm	7.0kg/cm <sup>2</sup>	90°C
702BE	0.2mm	Black	Adhesive	MSE	800gf/10mm	9.5kg/cm <sup>2</sup>	120°C
704BE	0.4mm	Black	Adhesive	MSE	1200gf/10mm	9.5kg/cm <sup>2</sup>	120°C
706B	0.6mm	Black	Adhesive	MSE	1400gf/10mm	8.5kg/cm <sup>2</sup>	120°C
708B	0.8mm	Black	Adhesive	MSE	1600gf/10mm	8.0kg/cm <sup>2</sup>	120°C
711B	1.1mm	Black	Adhesive	MSE	1800gf/10mm	7.0kg/cm <sup>2</sup>	120°C
715B	1.5mm	Black	Adhesive	MSE	1900gf/10mm	6.5kg/cm <sup>2</sup>	120°C
720B	2.0mm	Black	Adhesive	MSE	2000gf/10mm	6.0kg/cm <sup>2</sup>	120°C
706BL	0.6mm	Black	Adhesive	LSE	1400gf/10mm	8.5kg/cm <sup>2</sup>	90°C
711BL	1.1mm	Black	Adhesive	LSE	1800gf/10mm	7.0kg/cm <sup>2</sup>	90°C
720BL	2.0mm	Black	Adhesive	LSE	2000gf/10mm	6.0kg/cm <sup>2</sup>	90°C
7025T	0.25mm	Clear	Self stick		800gf/10mm	5.0kg/cm <sup>2</sup>	150°C
705T	0.5mm	Clear	Self stick		1000gf/10mm	5.0kg/cm <sup>2</sup>	150°C
710T	1.0mm	Clear	Self stick		1200gf/10mm	4.5kg/cm <sup>2</sup>	150°C
715T	1.5mm	Clear	Self stick		1400gf/10mm	4.0kg/cm <sup>2</sup>	150°C

720T	2.0mm	Clear	Self stick		1400gf/10mm	4.0kg/cm <sup>2</sup>	150°C
725T	2.5mm	Clear	Self stick		1600gf/10mm	3.5kg/cm <sup>2</sup>	150°C
730T	3.0mm	Clear	Self stick		2000gf/10mm	3.0kg/cm <sup>2</sup>	150°C
710TA	1.0mm	Clear	Adhesive	MSE	2000gf/10mm	8.5kg/cm <sup>2</sup>	120°C
704GS	0.4mm	Gray	Self stick		1200gf/10mm	6.0kg/cm <sup>2</sup>	150°C
708GS	0.8mm	Gray	Self stick		1500gf/10mm	5.0kg/cm <sup>2</sup>	150°C
711GS	1.1mm	Gray	Self stick		1600gf/10mm	4.5kg/cm <sup>2</sup>	150°C
716GS	1.6mm	Gray	Self stick		1800gf/10mm	4.0kg/cm <sup>2</sup>	150°C
720GS	2.0mm	Gray	Self stick		1800gf/10mm	4.0kg/cm <sup>2</sup>	150°C
704WS	0.4mm	White	Self stick		1200gf/10mm	5.5kg/cm <sup>2</sup>	150°C
708WS	0.8mm	White	Self stick		1500gf/10mm	5.0kg/cm <sup>2</sup>	150°C
711WS	1.1mm	White	Self stick		1600gf/10mm	4.5kg/cm <sup>2</sup>	150°C
716WS	1.6mm	White	Self stick		1800gf/10mm	4.0kg/cm <sup>2</sup>	150°C
720WS	2.0mm	White	Self stick		1800gf/10mm	4.0kg/cm <sup>2</sup>	150°C
730WS	3.0mm	White	Self stick		2000gf/10mm	3.0kg/cm <sup>2</sup>	150°C
704GLM	0.4mm	Gray	Adhesive	MSE/LSE	1200gf/10mm	9.5kg/cm <sup>2</sup>	120°C/90°C
708GLM	0.8mm	Gray	Adhesive	MSE/LSE	1400gf/10mm	8.0kg/cm <sup>2</sup>	120°C/90°C
711GLM	1.1mm	Gray	Adhesive	MSE/LSE	1800gf/10mm	7.0kg/cm <sup>2</sup>	120°C/90°C
715GLM	1.5mm	Gray	Adhesive	MSE/LSE	1800gf/10mm	6.5kg/cm <sup>2</sup>	120°C/90°C